

U.S. Patent Application No. 10/032,835
Group 1617

CLAIM AMENDMENTS

13 31 (Reinstated - formerly claim # 4). The composition of claim 1, wherein said composition is incorporated into a form selected from the group consisting of a patch, a towel etc, and any combinations thereof.

B1 14 32 (Reinstated - formerly claim # 12). The composition of claim 9, wherein the composition is a hair styling product, and wherein the polyurethane polyester polyquat is present in an amount about 0.3 wt% to about 10 wt% based on the total weight of the composition.

15 33 (Reinstated - formerly claim # 13). The composition of claim 9, wherein the composition is a styling gel, and wherein the polyurethane polyester polyquat is present in an amount about 0.3 wt% to about 1.0 wt% based on the total weight of the composition.

16 34 (Reinstated - formerly claim # 14). The composition of claim 9, wherein the composition is a body wash, and wherein the polyurethane polyester polyquat is present in an amount about 0.5 wt% to about 4 wt% based on the total weight of the composition.

17 35 (Reinstated - formerly claim # 15). A method of imparting to a substrate selected from the group consisting of hair, skin, lips and nails an attribute selected from the group consisting of water-resistance, shine, gloss, surface smoothness, film formation, and any combinations thereof, the method comprising applying to the substrate an effective amount of the composition of claim

1.

U.S. Patent Application No. 10/032,835
Group 1617

18 36 (Reinstated - formerly claim # 16). The method of claim 35, wherein the composition is selected from the group consisting of hair conditioner, shampoo, styling mousse, hair treatment preparation, lipstick, mascara, color cosmetic, body wash, liquid soap, hair color, nail care preparation, skin care preparation, and any combinations thereof.

19 37 (Reinstated - formerly claim # 17). The method of claim 35, wherein the composition is selected from the group consisting of lipstick, mascara, and color cosmetic, and wherein the attribute is water-resistance.

20 38 (Reinstated - formerly claim # 18). The method of claim 35, wherein the composition is selected from the group consisting of hair conditioner, shampoo, styling mousse, hair treatment preparation, hair color, nail care preparation, and any combinations thereof, and wherein the attribute is selected from the group consisting of shine, gloss, and any combination thereof.

21 39 (Reinstated - formerly claim # 19). A method of enhancing the appearance of hair comprising applying to the hair an effective amount of the composition of claim 1.

22 40 (Reinstated - formerly claim # 20). A method of styling hair comprising applying to the hair an effective amount of the composition of claim 1.

23 41 (Reinstated - formerly claim # 21). The method of claim 39, wherein said hair has improved styling hold.

U.S. Patent Application No. 10/032,835
Group 1617

24 ⁴² 41 (Reinstated - formerly claim # 22). The method of claim ²² 39, wherein the hair has improved curl retention. ~~40~~

25 ⁴³ 42 (Reinstated - formerly claim # 23). The method of claim ⁴⁰ 39, wherein the polyurethane polyester polyquat is present in an amount about 0.3 wt% to about 10 wt% based on the total weight of the composition. ²²

BX
CM 26 ⁴⁴ 43 (Reinstated - formerly claim # 24). A method of conditioning hair comprising applying to the hair an effective amount of the composition of claim 1.

27 ⁴⁵ 44 (Reinstated - formerly claim # 25). The method of claim ²⁶ 43, wherein the hair has improved smoothness. ~~44~~

28 ⁴⁶ 45 (Reinstated - formerly claim # 26). The method of claim ⁴⁴ 43, wherein the polyurethane polyester polyquat is present in an amount about 0.1 wt% to about 8 wt% based on the total weight of the composition. ²⁶

29 ⁴⁷ 46 (Reinstated - formerly claim # 27). A method of cleansing skin comprising applying to the skin an effective amount of the composition of claim 1.

30 ⁴⁸ 47 (Reinstated - formerly claim # 28). The method of claim ⁴⁷ 46, wherein the polyurethane polyester polyquat is present in an amount about 0.5 wt% to about 4 wt% based on the total weight of the composition. ²⁹

31 ⁴⁹ 48 (New). The composition of claim 1, wherein $n=8$ to 25.